


# 18.5" Widescreen One Port VGA LCD KVM Console ( DLS-1801 )



Date: 2020 / 03  
Version: V1.0


Overview


DLS-1801 is an 18.5" widescreen single port console which integrates the monitor, keyboard and mouse in a 1U device; it fits for installed in a standard 19" rack. It can connect one computer to control the monitor, keyboard and mouse.



1 LCD Monitor	6 Touchpad
2 Rear Bracket Slot	7 Handle
3 Display Menu Buttons	8 Release Switch
4 Mounting Bracket	9 Display Panel
5 Keyboard	

Structure






1	Power input (AC or DC)	3	Ground Connection Screw
2	Power Switch	4	PC Port

**Features**

- 3 in 1 LED console integrates the monitor, keyboard and mouse.
- The console can be connected to a PC or a KVM switch to control and manage single/multiple PCs.
- 18" LCD TFT monitor with high brightness, high definition and high resolution.
- High video quality: 1366\*768@60Hz
- Ultra-slim keyboard with 99 keys and numeric keypad
- Standard PS/2 touchpad
- Touchpad with trackball
- Automatically lock up with the front panel lock latch
- Compact steel construction and high quality hand-protection sliding rails

**Connection Diagram**



## Specifications

Model	DLS-1801	
Computer Connection	1	
Port emulation	Keyboard, mouse	PS/2, USB
LED monitor	LC module	SXGA TFT
	View area	18.5 "
	Optimum resolution	1366x768@60Hz
	Display color	16.7 M
	Brightness	250cd/m <sup>2</sup> ( T y p )
	Contrast ratio	1000 : 1 ( T y p )
	Pixel pitch(mm)	0.300(H) × 0.300(W)
Mouse	X/Y resolution	>1000 points / inch, (40 points/mm)
	Scroll wheel	Support scroll wheel function
Keyboard	99 keys(82 keys main keyboard +17 independent small numeric keyboard)	
Input power	100V– 240Vac , 50 ~ 60Hz , <1.5A	
Power consumption	11W	
Operating temperature	0 – 40 °C	
Store temperature	-20 – 60 °C	
Humidity	0 – 80% RH, non-condensing	
Net weight	11kg	
Product dimension (W × D × H)	448mm×560mm×42.5mm	
Package dimension (W × D × H)	765mm×615mm×185mm	